News and Views Nature Climate Change (1000 words max, 12 ref max)

Subject strapline:

CLIMATE ADAPTATION

Title:

Assessing adaptation implementation

Storyline

Assessing the global implementation of climate adaptation is critical. Now, research quantifies where adaptation is happening and where gaps remain.

Author name, address and email address

Dr Johanna Nalau, Cities Research Institute, School of Environment and Science, Griffith University, Gold Coast Campus, Queensland 4222, Australia; email: j.nalau@griffith.edu.au

First paragraph:

The most recent IPCC Working Group I report for the 6th Assessment Report makes clear that the world is off track in keeping global temperature under the 1.5 or 2 degree targets set in the Paris Agreement. Many communities and regions are already experiencing climate impacts such as increasing sea levels and flooding, more extreme storms, increases in devastating forest fires and heatwaves, and increasing coral bleaching. How we adapt to these impacts is critical in keeping our communities safe. Policymakers are therefore now asking whether adaptation actions are being implemented and to what extent adaptation actions are effective in reducing risk. This is why the study from Berrang-Ford et al.¹ published in this issue of *Nature Climate Change* comes at a crucial time, as it provides global evidence of the extent of adaptation implementation, which adaptation measures work and under what conditions, for whom and why.

In 2014, the IPCC 5th Assessment Report (AR5) documented a clear growth in adaptation planning and policies but found less evidence on the actual implementation. Since AR5, adaptation finance and action have increased due to more finance available for adaptation under the United Nations Framework Convention on Climate Change (UNFCCC) and other bilateral and multi-lateral funding. At the same time, peer reviewed climate adaptation literature is producing adaptation knowledge at an exceptional rate^{2,3}. The Paris Agreement also commits countries to report on their adaptation progress and contribute to the global adaptation goal⁴. Yet, tracking global adaptation progress remains highly difficult for three key reasons: there is no global platform or database that documents actions on the ground⁵, methodological consensus is missing regarding how such assessments should be done, and unclarity remains on what can and cannot be counted as adaptation⁶. All of this challenges our understanding of how do we know that adaptation is actually taking place and that those efforts are not futile.

Given all these complexities, the Berrang-Ford et al. study is an impressive effort in systematically reviewing empirical examples of human adaptation actions in academic peer-reviewed literature at a global scale. The study combined machine learning and collaborative coding by 126 researchers of 1,682 peer-reviewed publications that provide new evidence of the extent of adaptation implementation and also identifies key knowledge gaps in this critical field.

The findings show that adaptation implementation can be observed across all regions of the world, with especially many papers on Africa and Asia. The documented adaptation responses are highly dominated by food and agriculture (close to 66% of all articles) except for Oceania and Europe where there is a clear focus on health (in both regions), and also a strong focus on urban adaptation (Europe). But regional imbalances remain: very limited evidence was found in regions of South America, Central and North Africa, the Middle East and Central Asia. The study however only surveyed published scientific literature and is unlikely to have captured all implemented adaptation responses across the regions given. For example, project and program monitoring and evaluation reports often have detailed implementation information that are not published in scientific journals.

Most documented adaptation actions (82% of all articles) are undertaken at the local level and mainly by households or individuals, and are mostly behavioural in nature (such as changing house designs for increased flood protection or switching to more drought tolerant crops). This local scale comes as no surprise given that adaptation has been framed for years as a local issue to be implemented at a local scale⁷. Yet, recent years have seen a strong shift towards understanding adaptation as a global and transboundary issue⁸, which seem not to have found its way yet on empirical research on implemented adaptation.

Understanding which adaptation responses have decreased people's and ecosystems' vulnerabilities and exposure to climate hazards is one of the critical questions. Berrang-Ford et al.'s analysis shows that risk reduction currently is often more implicit and assumed in many of the papers than providing actual empirical evidence of reduced risks. Only 58 papers (3.4% of papers) indicate an assessment of adaptation outcomes after implementation. But only 30 papers (1.8% of all studies) present empirical evidence that the particular project reduced risks in practice. This result should however be treated with caution. The results are a sum of coding decisions and coder interpretation (e.g. what counts as risk reduction). Moreover, key information on implementation outcomes is more likely to be found in grey literature, such as monitoring and evaluation reports at the project and portfolio level, rather than in academic literature, and so would not have been assessed in this study.

The depth, scope and speed of adaptation responses were also analysed. Alarming, the implemented adaptation responses reveal a trend of minor adjustments e.g. business-as-usual responses rather than more transformative changes. Minor adjustments include for example small modifications in farming practices (eg introducing more drought or salinity tolerant species) or retrofitting existing infrastructure (Figure 1). Adaptation responses also consist mainly of short-term responses to extreme weather events rather than long-term trends. This is a worrying finding as the current and projected climate impacts across regions and communities are likely to require adaptation that is transformational in speed, scope and depth. How to best harness urgent transformational adaptation remains a key research area as is knowledge of in which contexts we reach the limits of our capacities to adapt.

Overall, this new research makes an important contribution to the global discussion on what the scientific community can say about global adaptation progress, how we can measure it, and what evidence we can use in this process to do so. In addition to the academic literature surveyed by Berrang-Ford et al, there is more adaptation knowledge available now more than ever in the grey literature, as well as in people's lived experiences of adapting to climate change. The key questions driving the field of climate change adaptation are now how to systematically gather and analyse lessons across case studies, adaptation actions, and

people's experiences and knowledge, which are not often easily captured in written form. Others have developed adaptation finance archetypes⁹ to compare case studies or analysed international organisations' inclusion of adaptation activities over time¹⁰. What is clear is that new comprehensive and systematic methods are needed to uncover emerging trends within this rapidly growing knowledge base. This is where Berrang-Ford et al.'s research provides an important contribution, both in its scope but also the way it was able to create and harness a collaborative global researcher network to start building part of this evidence base.

Figure 1. Seawall in South Tarawa. In addition to behavioural strategies, adaptation measures often include the building of infrastructure like seawalls, especially in low-lying islands such as in South Tarawa, the main atoll of Kiribati. (Photo credit: Johanna Nalau)

Competing interests

The authors declare no competing interests

References

1. Berrang-Ford, L. et al. *Nat. Clim. Chang.* doi: 10.1038/s41558-021-01170-y
2. Callaghan, M. W. et al. *Nat. Clim. Chang.* doi:10.1038/s41558-019-0684-5.
3. Nalau, J., & Verrall, B. *Clim. Risk Man.*
doi:<https://doi.org/10.1016/j.crm.2021.100290>.
4. Tompkins, E. L. et al. *Wiley Inter. Rev. Clim. Chang.* doi:10.1002/wcc.545
5. Berrang-Ford, L. et al. *Nat. Clim. Chang.* doi:10.1038/s41558-019-0490-0.
6. Dupuis, J., & Biesbroek, R. *Global Env. Chang.*
doi:<http://dx.doi.org/10.1016/j.gloenvcha.2013.07.022>
7. Nalau, J. et al. *Env. Scien. & Pol.* doi:<https://doi.org/10.1016/j.envsci.2014.12.011>
8. Benzie, M., & Persson, Å. *Inter. Env. Agre.: Pol., Law and Econ.*
doi:10.1007/s10784-019-09441-y
9. Moser, S. C., et al. *Ecol. and Soc.* doi:10.5751/ES-10980-240228
10. Kural, E. et al. *PLoS One.* doi:10.1371/journal.pone.0257101