

**On understanding variability in data: a study of graph interpretation in an advanced experimental biology laboratory.**

Author

Roth, Michael, Temple, Shelby

Published

2014

Journal Title

Educational Studies in Mathematics

Version

Accepted Manuscript (AM)

DOI

[10.1007/s10649-014-9535-5](https://doi.org/10.1007/s10649-014-9535-5)

Rights statement

© 2014 Springer Netherlands. This is an electronic version of an article published in Educational Studies in Mathematics, Volume 86, Issue 3, 2014, pp 359-376. Educational Studies in Mathematics is available online at: <http://link.springer.com/> with the open URL of your article.

Downloaded from

<http://hdl.handle.net/10072/67643>

Griffith Research Online

<https://research-repository.griffith.edu.au>

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

**Roth, W.-M., & Temple, S. (in press). On understanding variability in data: a study of graph interpretation in an advanced experimental biology laboratory. Educational Studies in Mathematics. DOI: 10.1007/s10649-014-9535-6**

**ABSTRACT** Data analysis is constitutive of the discovery sciences. Few studies in mathematics education, however, investigate how people deal with (statistical) variability and statistical variance in the data to be interpreted. And even fewer, if any, focus on the uncertainties with which scientists wrestle before they are confident in the data they produce. The purpose of this study is to exhibit the work of coping with variability in one advanced research laboratory, as exemplified in a typical data analysis session. The study shows that when the scientists are confronted with novel data, their understanding of the variability does not arise in straightforward fashion and a lot of normally invisible (interactional) work is required to constitute understanding. Tentative conclusions are provided for the implication to mathematics education.

**KEY WORDS:** variability; data interpretation; discovery sciences; data analysis; mathematical practices

There is a “huge need” for statistical competencies in the modern workplace and, therefore, a need for statistical education (Scheaffer, 2011). Mathematics educators are interested in the way students interpret data and in their statistical practices and competencies related to data analysis (Garfield & Ben-Zvi, 2007; NCTM, 2000; Roth & McGinn, 1998). Mathematics educators often ask students to collect data that exhibit functional relations (e.g., Confrey, 1995; Gerovsky, 2010; Hardy, 2009; Kaput, 1988) and interpret “well-defined” data and samples (Konold & Pollatsek, 2002); and school science courses and textbooks tend to emphasize function-like relations between variables (Roth, Bowen, & McGinn, 1999; Roth, Pozzer-Ardenghi, & Han, 2005). Unsurprisingly perhaps, when asked to find trends in actual data, even preservice science teachers with BSc and MSc degrees had trouble dealing with variability (Roth, McGinn, &

1  
2  
3  
4  
5 Bowen, 1998), whereas eighth-grade students following a curricular unit where they designed  
6 investigations, transformed data, interpreted data, wrote reports, and argued over and about their  
7 findings often used sophisticated statistical techniques to deal with variability (Roth, 1996).  
8  
9  
10 Conversely, scientists asked to interpret graphs from introductory college courses pointed out,  
11 however, that function-like data and graphs are abnormal in science (Roth, 2003). Allowing  
12 students to be able to interpret the variability of data values from empirical inquiry generally and  
13 to separate chance variability from systematic variation specifically are important goals of  
14 mathematics education not only in primary (English, 2012) and secondary schooling (Cobb &  
15 Tzou, 2009; NCTM, 2000) but also at the tertiary level (Garfield, delMas, & Zieffler, 2012; Wild  
16 & Pfannkuch, 1999). Comparing models and empirical data, and dealing with variability, are  
17 integral parts of learning statistical practice (Garfield & Ben-Zvi, 2008; Pfannkuch, 2005). In the  
18 development of statistical literacy, understanding the relationship between models and data is an  
19 important dimension (Garfield, 2011; Garfield & Ben-Zvi, 2007). This is so because there might  
20 be patterns even though data exhibit considerable variability; extracting such patterns in the face  
21 of inevitable variability was, until recently, not a competency that mathematics education would  
22 have allowed students to develop (Konold & Pollatsek, 2002). One of the difficulties people of  
23 all ages have arises from everyday confusions between randomness and excessive alterations  
24 (Falk & Konold, 1994). Similar to other studies investigating mathematics on the job for the  
25 purpose of thinking about how mathematics curricula might be organized (Gainsburg, 2007; Hall  
26 & Stevens, 1995; Noss, Bakker, Hoyles, & Kent, 2007; Williams, Wake, & Boreham, 2001), this  
27 study investigates what do scientists do when they are uncertain about their own graphs and the  
28 variability (and statistical variance) displayed therein. The study presents for the interpretation of  
29 mathematical culture suitable “thick [ethnographic] description” (Geertz, 1973) of data  
30 investigation practices in a situation where research scientists found themselves in a highly  
31 uncertain situation about the source of variability in their data.  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59

## 60 **Research design**

61  
62  
63  
64  
65

1  
2  
3  
4  
5 This study was designed to investigate what scientists do with graphs when they are in  
6 situations of considerable uncertainty and, therefore, are not in a situation to provide some  
7 routine explanation to something that they are highly familiar with (as an economist with a  
8 supply-demand graph). The sources of the data are the records from a 5-year ethnographic  
9 project in one experimental biology laboratory, where we were members and participated in the  
10 design of studies and publication of research results. The particular research project from which  
11 the present recording stems concerned the absorption of light in the rod-shaped photoreceptors of  
12 coho salmon eyes. There are two absorbing chemicals, one based on vitamin A<sub>1</sub> (rhodopsin), the  
13 other one based on vitamin A<sub>2</sub> (porphyropsin). Our research attempted to answer the question of  
14 how the relative amounts of porphyropsin and rhodopsin in the photoreceptors changed in the  
15 course of the coho salmon's life cycle. In this study, we focus on parts of one data interpretation  
16 meeting that the team periodically organized.  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29

30 Five team members were present: the laboratory head (Craig), a research associate with  
31 background in physics (Theo), a postdoctoral fellow (Elmar), the second author who was a  
32 doctoral student in biology at the time (Shelby), and the lead author (Michael), a physicist and  
33 applied cognitive scientist by training. Shelby operated the computer and projected data onto a  
34 screen; a chalkboard behind his back was also used for drawing graphs. At the time, Craig  
35 already has had more than 30 years of research and publication experience in this field; he now  
36 holds an endowed research chair at another university. Shelby, too, has had many years of  
37 experience doing research on fishes around the world, had worked as a biologist in various jobs  
38 prior to completing an MSc and was working on his PhD. Theo had done undergraduate studies  
39 in physics and work experience in developing analytic and visualization software.  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50

51 The present study treats results “not as specifications of practice but rather as guides for  
52 locating the field properties that make the practices recognizable for what they are” (Koschmann  
53 & Zemel, 2009, p. 234). It can be read as a micro-genetic study of scientists' methods of dealing  
54 with variability while using data and graphs, here in an advanced laboratory on the  
55 neuroethology of fish vision. We are concerned with providing an ethnographically *adequate*  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

1  
2  
3  
4  
5 description, which means that the “ethnographer must articulate the same hesitant and  
6  
7 momentary contexts that the natives are displaying to each other and using to organize their  
8  
9 concerted behavior” (McDermott, Gospodinoff, & Aron, 1978, p. 246). Thus, we treat the data  
10  
11 “as an occasion for construing the work done by participants in interpreting the document as it  
12  
13 unfolds before them” (Woolgar, 1990, p. 127) and before they know how it will ultimately be  
14  
15 understood. In the same way other research concerning the natural sciences are conceived, as the  
16  
17 present is a study *of* rather than *about* scientists’ work (Garfinkel et al., 1981). Ethnographic  
18  
19 adequacy also implies that the “analyst must be *vulgarly* competent in the local production and  
20  
21 reflexively natural accountability of the phenomenon of order\* he is ‘studying’” (Garfinkel &  
22  
23 Wieder, 1992, p. 182). This “vulgar competence” allows “the analyst to recognize, or identify, or  
24  
25 follow the development of, or describe phenomena of order\* in local production of coherent  
26  
27 detail” (p. 182). In our situation, these requirements are met, as we have been active members of  
28  
29 the laboratory.  
30  
31

### 32 33 34 35 **Variability and ways of handling it in a data analysis session of an advanced biology** 36 37 **research laboratory**

38  
39 This study was designed to investigate how scientists deal with uncertainty in data and  
40  
41 graphs while the latter are produced and interpreted *in the course of* discovery work, that is, prior  
42  
43 to the scientists’ realization that they have found something of interest. In the following, we  
44  
45 analyze an extended, 15-minute episode from a laboratory meeting. The episode was occasioned  
46  
47 by two problems that Theo and Shelby identified in preparation for this meeting: (a) there was  
48  
49 considerable variability in their data (which expressed itself in large standard deviations the team  
50  
51 calculated) and (b) their compiled data differed from those published 8 years earlier by another  
52  
53 research group, which was consistent with the current dominant scientific theory. This part of the  
54  
55 meeting was designed to understand the first of the two problems: rather than having a lot of  $A_2$   
56  
57 values more sharply distributed around some mean, their  $A_2$  values were spread across the entire  
58  
59 spectrum of values (from 0–100%) (Fig. 1a). To get at the levels of porphyrpsin ( $A_2$ ) in the  
60  
61  
62  
63  
64  
65



1  
2  
3  
4  
5 appropriate reading of the graph that is now projected on the screen (Fig. 2b) needs to be  
6 articulated in and for the group. This background is part of the whole research procedure that one  
7 needs to know to make sense of any graph that issues from it (e.g., Noss et al., 2007; Roth,  
8 2003). This is what is happening in the current subsection. The problem our team faces is that we  
9 do not know what the source of the variability is: it could be within the fish eyes, due to  
10 systematic error from the instrumentation, an artifact arising from the curve-fitting and extraction  
11 of HBW, or random error.  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21

22 *Articulating the procedure for extracting the data* Shelby describes that he “can present” what  
23 “is in [his] database.” Theo formulates the existence of a problem (“the problem is”), and begins  
24 with a description of the curves as being “fairly long.” As Craig before, Theo gets up and walks  
25 to the chalkboard. Upon arriving there, he produces a curve that we recognize to be an idealized  
26 but widened absorption spectrum (Fig. 3a). Theo marks three areas where he “can look.” He  
27 refers to a rule in the field, which states that the important region is defined by the right part of  
28 the curve above the 50% of its height. To determine the total height, Theo states needing to know  
29 where the base lies (left and right circle) and what the maximum height of the absorption curve  
30 ( $\lambda_{\max}$ ) is. First for the right side of the curve and then for the right-hand “foot,” Theo draws the  
31 kinds of features that he observes—and willingly demonstrates and explains to visitors to his  
32 office—while analyzing the data that he receives from the wet laboratory (where he participates  
33 in some of the data collection sessions operating the software). These features, sudden drop offs  
34 in otherwise “clean spectra,” make the determination of the baseline points difficult and,  
35 therefore, the precise determination of the height of the absorption curve and introduces  
36 variability in its location along the wavelength axis. Although an “otherwise clean” graph does  
37 contain such problems, Theo explains that he does not reject the data at this point “as long as [he  
38 has] enough peak in here, under, above the 50% line.” Such a curve still allows him to determine  
39  $\lambda_{\max}$ , and, therefore, the amount of porphyropsin present. This is how he sees the situation, and  
40 based on it he keeps the data.  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

««««« Insert Fig. 3 about here »»»»»»

In this sequence of turns, the participants (and the analyst) therefore find out that Shelby has included in the plot currently displayed all the data that Theo has provided him with. These, in turn, are based on what Theo has received from Shelby, who collected the curves from the retina in the dark laboratory. Theo explains that there indeed are curves that exhibit sudden drop offs at the left and right end of the otherwise clean absorption spectra. He does not throw these data out, at least he does not as long as he has “enough peak in here,” that is, between the half-maximum point and the top of the peak at  $\lambda_{\max}$ . Although not specifically articulated as such, what is available *in* and *as* their relation is a possible reason for their HBW data to be noisier than they should be in some ideal case. Theo’s presentation actually anticipates possible problems in the interpretation of the data, as he explains possible variability in the data that might wash out the true trends that possibly exist or that make interpretation possible.

*Explicating the possible source of the variability* When there is considerable variability in the data, the identification of “deep structure” may be difficult. When scientists articulate trouble reading or interpreting data because of variability that may not be understood, observers are provided with opportunities to see what they do when the deep structures visible in idealized graphs—such as those that Craig and Theo have drawn on the chalkboard—are not immediately available in real, experimental data. At this point in the meeting, the team is confronted with a plot of the half-maximum bandwidth of the spectra it collected (i.e., HBW) against porphyropsin levels (%A<sub>2</sub>). This plot (Fig. 2b) reflects the real data; it constitutes a stark contrast to the idealized curve Craig has sketched on the adjoining wall. This idealized graph presents the expected (“preconceived”) deep structure whereas the graph that has arisen from the exchanges between Shelby and Theo presents the real case, the deep structure of which is at issue in this subsection. What will scientists do to come to grips with the apparent variability in the currently displayed data plot? In the sciences, the exclusion of outliers is a common practice. However, if a “point” represents many measurements rather than a single one, excluding it becomes more



1  
2  
3  
4  
5 problematic (unless, perhaps, if scientists recognize some systematic error in the many  
6 measurements underlying the single point). In this part of the episode, the possible exclusion of  
7 points is the topic of the talk.  
8  
9

10  
11 Theo, who is still standing next to the diagram that he has earlier drawn immediately follows  
12 Shelby by saying that there is “a little noise on here” while pointing to the left side of his  
13 absorption graph. There is, as all laboratory members know, the familiar “ringing”—oscillations  
14 overlaying the left branch of the approximately Gaussian absorption curve—the origin of which  
15 was not known (Fig. 3b). Because of this variability, the half-maximum bandwidth is measured  
16 to the point where the “ring” first crosses half of the maximum height, so that its measurement  
17 ends up being smaller than it should be. The algorithm that Theo has designed at that instant in  
18 the research does not project where the Gaussian *would* lie but takes the half-maximum  
19 bandwidth at the location along the wavelength axis where the absorption curve first falls below  
20 half of maximum height.  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31

32  
33 In this situation, Theo modifies the original graph for the purposes at hand. That is, the  
34 original smooth graph was to show one feature and was produced for the purposes of  
35 communicating it: the places that are of importance in determining the height of the curve and,  
36 with it, the half-maximum bandwidth. Now that the data exhibit a lot of variability, he modifies  
37 the *ideal* and idealized graph to introduce one of the aspects that can produce such variability.  
38 That is, the variability visible in Shelby’s graph does not arise from the source, the retinal cells,  
39 but from the transformations that the measured absorption curves undergo towards producing the  
40 porphyrin content (determined by means of  $\lambda_{\max}$ ) and the half-maximum bandwidth, which  
41 the team hopes to turn into a second reliable measure of A<sub>2</sub> levels. It allows Theo to articulate  
42 where variability comes into the determination of the half-maximum bandwidth as existing in the  
43 database at the present point in time. Theo proposes something, though the speech volume  
44 becomes so low that it is no longer possible to retrieve what he is saying while Craig overlaps  
45 uttering the tentative proposal to throw those data points out (“huck those points”). He proposes  
46 this elimination because Shelby’s curves did not fit this template (curve), due to large variability,  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

1  
2  
3  
4  
5 even though each point plotted represents the calculated mean of a series of measurements, and  
6  
7 therefore are not simple outliers (singularities).  
8

9  
10 In this situation, the graphs on the chalkboard have a different function from the graphs  
11 produced from the data: these are tools to think, as research on diagrammatic reasoning has  
12 shown in school settings where students discuss variability in data (Bakker & Hoffmann, 2005)  
13 or in contexts where scientists are asked to interpret unfamiliar data (Hoffmann & Roth, 2005).  
14  
15 In such situations, graphs offer opportunities for the “hypostatic abstraction,” that is, “the  
16 formation of objects (what can be talked about)” (Bakker & Hoffmann, 2005, p. 350). In the  
17 present instance, the “objects” to be talked about are possible sources that generate the variability  
18 in the data to be interpreted.  
19  
20  
21  
22  
23  
24  
25  
26  
27

28 *Call for disattending to variability*  
29

30  
31 Once scientists know that they can legitimately ignore some data points, for example,  
32 because these can be justified to be outliers, then they are in a position to read the data in new  
33 ways. They may, as happens here, *provisionally* ignore some data points to see what it yields,  
34 much in the way painters do after placing a stroke and then stepping back to evaluate the effect  
35 of their move and then to correct or continue with what they have done. That is, it would be  
36 typical to articulate a move and thereby to objectify it to be in a better position for evaluating its  
37 implications. The advantage of such moves is that new insights thereby arise from an external,  
38 epistemic action that reveals its possibilities by inspection and further possibilities for theorizing  
39 through reflection.  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49

50  
51 *Interpretive difficulties* Following Theo’s explanation of a possible source of the variability in  
52 the data, Craig provides a first reading—which we may hear as a first attempt in articulating the  
53 deep structure in the data. He points to the right-most peak ([i], Fig. 4a) and marks it as  
54 something that “he does not know what’s going on” and, prior to articulating a trend, he suggests  
55 “ignoring it for the time being.” He also points to the two center peaks upward ([ii] & [iii], Fig.  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

1  
2  
3  
4  
5 4a) and to the two downward peaks ([iv] & [v], Fig. 4a), marks them verbally as “extremes,” and  
6 suggests “ignoring them.” He finally proposes “running a regression on this” (Fig. 4a). At this  
7 point, Shelby brings out a contrast by suggesting that “this is not just a couple [of] points,” but in  
8 fact “this is the whole shebang.” That is, we see and hear a proposal for “hucking [throwing  
9 out]” or “ignoring” certain “extremes,” but this proposal is not accepted but rather confronted  
10 with the statement that there are 3,000 data points. Shelby contrasts this with the description of  
11 not just being “a couple of points.” This large number, as he elaborates, implies that there are  
12 *some* extremes. But because this is a large number, any trend would be rather stable with respect  
13 to a small number (“some”) extreme points.  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23

24 «««« Insert Fig. 4 about here »»»»

25  
26 The extreme points are not just there. To exist qua orderly object in the hand of the  
27 researchers and therefore at hand, any “point” has to be demonstrably “extreme.” Here, this is  
28 achieved in the sequentially produced contrast Craig produces between the point made salient by  
29 the indexical gesture and the subsequent hand movement that not only bypasses the point but  
30 also does so to such an extent that it becomes an instructible instance of “extreme.” Although  
31 much of the work on gestures does not treat the two gestures as distinctive—other than denoting  
32 them as “deictic” and “iconic”—there is an ontological difference between them. This difference  
33 constitutes the heart of the dynamical understandings in physics and mathematics (Châtelet,  
34 1993). This is so because the hand movement enacts a curve, represented in mathematics by a  
35 relation, such as  $G(x,y) = 0$ , whereas the individual points on such a curve, denoted by indexical  
36 gestures, represents a parametric or function of the kind  $y = f(x)$  where the separation of data and  
37 result is already accomplished. It is precisely in the gesture that a virtual relation becomes actual  
38 and material, in and through the body of the scientist (Châtelet, 1993). That is, “the gesture  
39 envelops before grasping and sketches its deployment before denoting or exemplifying” (p. 33,  
40 my translation).  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56

57  
58  
59 *Hypothesizing a pattern* Craig has suggested “huck[ing] those points” that vary a lot from the  
60  
61  
62  
63  
64  
65

1  
2  
3  
4  
5 apparent trend (i.e., the outliers). This outlier aspect exists in a demonstrable manner such that  
6  
7 when required, the spiky nature of the “downward spikes” can be exhibited for anyone not yet  
8  
9 convinced. He again suggests ignoring some of the outliers, but Shelby has responded saying that  
10  
11 the dataset is large and that in this case it is likely to have some that reflect large variations.  
12  
13 Craig now suggests running a “polynomial on it” to “see what sort of correlation we can come up  
14  
15 with,” but adds that they first have to “*recursively* go back through the data” to see whether  
16  
17 “those points [outliers]” are “due to errant spectra.”

18  
19  
20 Craig further proposes that these could “have provided considerably more variance to that  
21  
22 point in the transition,” thereby referring to data reflecting—according to the “dogma” that  
23  
24 framed their work at the time—a changeover from high porphyropsin levels thought to be typical  
25  
26 of salmon in freshwater to lower porphyropsin levels thought to be typical of salmon in  
27  
28 saltwater. As he continues, Craig first acknowledges what Shelby has said (“yea”) and then  
29  
30 provides an elaboration of the data by showing the trend that they display (Fig. 4b). Placing his  
31  
32 pen against the projection screen, Craig gesturally “draws” a curve (Fig. 4b) that looks like the  
33  
34 one he has earlier drawn on the chalkboard (Fig. 2a)—even though he has just prior to this  
35  
36 instant exhibited the opposite relation. There is a high degree of similarity, even in the relative  
37  
38 position of the HBW, which is higher for 100%  $A_2$  than for 0%  $A_2$ . (Shelby has drawn the  
39  
40 abscissa from left to right, and, therefore, in the reverse of what Craig has done on the  
41  
42 chalkboard.) In this situation, therefore, Craig explicitly notes that the trend he has just exhibited  
43  
44 in and through his hand/arm movement, “this,” “looks like that,” the earlier graph. The same  
45  
46 movement in the reverse that earlier had produced the line on the chalkboard now, ephemerally,  
47  
48 exhibits the trend in the data. In this way, what we might alternatively see as a parabolic trend,  
49  
50 visible if a regression were to be performed on the data displayed, becomes an idealized inverted  
51  
52 parabolic trend (deep structure) represented in the trajectory of the pen over the data.  
53  
54

55  
56 In the course of his talk, Craig has actually changed what he brought out as the trend  
57  
58 underlying the data. Initially, he gestures—indexically/iconically in his movement, iconically  
59  
60 with the hand inclined to show the linear relation from lower left to upper right at the right end of  
61  
62  
63  
64  
65

1  
2  
3  
4  
5 the plot. He then turns and points to the graph on the chalkboard, which in fact runs differently  
6  
7 from what he has shown just now. He articulates a curvilinear relationship with a maximum in  
8  
9 the center (Fig. 4b). That is, the hand movement both exhibits what is required to demonstrate  
10  
11 the curvilinear relationship and serves as an instruction for seeing (again) this very relationship.  
12  
13 It therefore exists twice, in the form of “two technologies”: as orderly phenomenon that everyone  
14  
15 present can see once he has learned how to look and as embodied practice, which, when enacted,  
16  
17 *gives* immediate access to the so articulated phenomenon of the curvilinear relationship.  
18  
19

20 In this situation, the HBW versus %A<sub>2</sub> graph provides an indication of the variability in the  
21  
22 data, perhaps more sensitive than other indicators because of the reasons that Theo earlier  
23  
24 elaborated. Craig insists on checking the data that they all meet the criteria, especially those “low  
25  
26 points.” He is concerned with the fact that data such as those in the “downward spikes” would  
27  
28 introduce unwanted variability in the determination of the actual proportion of A<sub>2</sub>. Craig later  
29  
30 brings the conversation back to the issue of what has been included as data in the plot, to which  
31  
32 Shelby responds that he did something quick. Craig insists, “does that mean *everything*?” and  
33  
34 Shelby affirms. But again, he insists that there are “a lot of data points,” as if he wanted to warn  
35  
36 the participant to “huck [throw out] those points” all too quickly.  
37  
38  
39

40 *Articulating further uncertainty* Craig begins making a statement about being “pretty . . .” but  
41  
42 he is interrupted by Michael’s question about how many data points there are in each of the  
43  
44 spikes. This question can be heard as co-articulating uncertainty about what exactly each data  
45  
46 point reflects: individual or collated measurements. Shelby ascertains having heard my utterance  
47  
48 as a “good question” but says that he does “not know how to tease this apart.” He articulates  
49  
50 being surprised about the “spiky” nature of the graph and that he may have “chosen the wrong  
51  
52 type of graph.” He elaborates by reiterating that there are 3,000 data points, which would mean  
53  
54 that it “takes a lot” for the curve “to go down that far.” Then he states again to be “kind of  
55  
56 surprised.” We can hear him express surprise about the variability and, therefore, co-express his  
57  
58 anticipation to have a much smoother graph. Craig then articulates the hypothesis that Shelby has  
59  
60  
61  
62  
63  
64  
65

1  
2  
3  
4  
5 “mix[ed] quite a broad spectrum of fish” and “that could have something to do with it.” In fact,  
6  
7 the fish that have contributed to the data were from different hatcheries and from different river  
8  
9 systems. This “could have something to do with [the variance].” Here, only the familiarity with  
10  
11 the background to the data collection allows Craig to articulate this hypothesis.  
12  
13

14  
15  
16 *Reducing complexity*

17  
18 Reducing the complexity in and of the data by limiting the source was one of the strategies  
19  
20 that was repeatedly observed in the course of this study. In the present instance, this occurred  
21  
22 immediately after Craig’s articulation of the hypothesis that the variability might be caused by  
23  
24 pooling all the fish in their study. Shelby suggests that he “could just choose one set.” He  
25  
26 proposes using fish that had come from the Kispiox River in northern British Columbia. Craig  
27  
28 accepts by restating that possibility. The selection of a subset of the data, which was introduced  
29  
30 as a way of decreasing variability actually appears to have increased it. However, a direct  
31  
32 comparison between the former and the new plot shows that there are in fact new features that  
33  
34 appeared and old features that had disappeared (Fig. 4c). Thus, the one peak that Craig had  
35  
36 repeatedly pointed to and marked as a candidate for elimination has disappeared. But on the  
37  
38 right-hand side of the plot, there not only is a new peak but the existing peaks are as high as  
39  
40 those in the middle earlier designated for elimination. What is important to this meeting,  
41  
42 however, is what arises in the relation between Craig and Shelby: the two lower peaks that are  
43  
44 still present. Shelby characterizes them, therefore, as particular to the Kispiox fish. After and  
45  
46 thereby breaking the long pause, Craig tentatively (“maybe”) proposes a plot with error bars.  
47  
48  
49  
50

51  
52 *Trying to get a grip on variability*

53  
54 *Replotting the data together with a statistical measure of variability* The preceding move has  
55  
56 not led to the intended reduction in variability of the data. In such a situation of uncertainty,  
57  
58 when scientists are in the dark and without the knowledge that later comes with hindsight—that  
59  
60 is, before scientists are familiar with the domain—any action appears as good as any other (Roth,  
61  
62  
63  
64  
65

2004). It is only after the fact that a value “good” or “poor” can be attributed to action and its ascribed intention or, in other words, that the quality of fit can be determined between situated actions and the plans that are said to underlie them. It may not come as a surprise then that Craig proposes trying another avenue: plotting the data with error bars. The uncertainty of what such a move may bring about is expressed in the adverb “maybe,” which modalizes the verb “to try” as a possible but not necessary next move. The verb “to try” implies decision between alternatives and finding out about something that is doubtful or obscure. At first, Shelby expresses uncertainty about whether “that” is “going to work with that” and, speaking increasingly faster, states that he will give it a try.

When the scatter plot appears on the screen (Fig. 5a), Shelby notes that the two lowest data points also are those without error bars ([i] & [ii], Fig. 5a), and that they therefore represent unique points. Their salience is increased by the cursor, which he moves directly over one then the other point ([i] & [ii], Fig. 5a), moving back and forth three times. *In and as the relation* with Craig, this statement is confirmed and marked as salient, as if this fact provided a reason: “okay, so there you go.” That is, in this instance, the visibility of the two points exists in and as their relation. It is not just there, merely pointed out by Shelby. Rather, the distinction of these data points and their relation to the interpretation is a result of the relation. “They *are* just two unique points,” that can be pointed to (by means of the cursor) and that can be seen and confirmed on the part of the listener (“yea,” and “here you go”).

««««« Insert Fig. 5 about here »»»»»»

*A first interpretive attempt* Shelby first draws a comparison to what has been: “yea, it’s quite different.” He then states an implication for the trend of the data: “you do get a general increase from zero to a hundred, very, very subtle.” As he makes the statement, one can see the cursor move from the cluster of points at the left margin of the graph to the aligned cluster of points on the right ([iii], Fig. 5a). Although the relationship is different from the one Craig has articulated before, nobody confronts the two different hypothetical deep structures in the data and the trends

1  
2  
3  
4  
5 that they express. At this point, there are no comments to the fact that Shelby proposes a linear  
6 correlation whereas Craig has made visible a curved relationship: one of these is still visible in  
7 the line on the chalkboard, the ephemeral gesture perhaps present in perceptual memory.  
8  
9

10  
11  
12 *A second, alternative interpretation* At first, Theo asks Shelby to change the scale on the “y-  
13 axis.” Together they establish the new limits on the plot. Craig affirms and names what is  
14 happening “a higher resolution there.” There is a 3.90-s pause, then the new graph appears (Fig.  
15 5b), and then another 6-second pause unfolds. Craig is the first to speak. He gets up, walks to the  
16 screen, and then moves his hand in front of it to exhibit three trends in three parts of the plot.  
17 Craig points out—not unlike in his first analysis—that there is a linear trend on the right-hand  
18 side of the plot ([i], Fig. 5b). He then makes salient a “component,” which, as the shape of the  
19 hand trajectory shows, is approximately inverse parabolic ([ii], Fig. 5b). He repeats the gesture  
20 first backward and then forward again. In the 0.68-second pause that follows, his index finger  
21 first makes a slight upward movement following what might be seen as the trend of the first 11  
22 data points ([iii], Fig. 5b), then moves back toward the point where the parabolic movement  
23 ended and produces a second movement now slightly downward ([iv], Fig. 5b) while uttering  
24 “down again.”  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39

40 When we compare the hand movements produced in this situation (Fig. 5b), we note the  
41 similarities and differences with earlier presentations. These differences, however, are not  
42 explicitly articulated as changes in the idea or assessment of what they are looking at. The first  
43 part of the gesture, on the right end, is similar to what Craig produced in the context of the  
44 Kispiox fish, but different from the inverse parabola that he produced even earlier. The central  
45 part does have the inverse parabolic shape. Finally, on the right end, Craig first makes a  
46 movement *upward* from right to left and then, almost in the same breath, changes the description  
47 and hand movement to one that goes *downward* from right to left. The hand gestures here are  
48 forms of epistemic movement that constitutes thinking itself rather than being a *representation*  
49 thereof (Radford, 2003; Roth, 2012). Again, the trends depicted in the movement are different  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65



1  
2  
3  
4  
5 from the “general increase,” a “very, very subtle” one that Shelby has articulated together with a  
6 nearly linear trajectory of the cursor from the left to the right. We therefore observe  
7  
8 contradictions both within the articulations and movements that Craig produces—even within a  
9  
10 fraction of a second—and with respect to those that Shelby previously articulated. However,  
11  
12 these contradictions again are not made the topic of discussion. It is as if they did not exist or  
13  
14 were salient.  
15  
16

17  
18  
19 *Another attempt at understanding variability as it expressed itself as variance (error bars)*

20  
21 Shelby then evaluates Craig’s presentation saying that he finds it “not surprising” and continues  
22  
23 to articulate a reason. He talks about the data representing not individual fish but rods that are  
24  
25 grouped. He ends by saying that he is skeptical of those data near 0% and 100% ( $A_2$ ). Craig  
26  
27 follows the comment about being skeptical by querying the nature of the error bar—whether they  
28  
29 represent  $\pm 1$  standard deviation. By asking the question in this way, the normative character of  
30  
31 this value over other possible values comes to the fore. Shelby responds by saying that he had  
32  
33 plotted using 95% confidence intervals. There is a long pause and then begins some elaboration  
34  
35 about wanting to use 1.96 standard deviations and just as he was beginning to suggest what this  
36  
37 would lead to “then you would get,” Theo interrupts him making salient the points “up there.”  
38  
39 (The two numbers,  $SD = 1.96$  and 95% confidence intervals are equivalent.) Shelby continues,  
40  
41 “one [1 SD]” “would be a bit cleaner.” In this, he articulates a reference to Craig’s question  
42  
43 about the error bars corresponding to  $SD = 1$ . Theo suggests that the 95% confidence intervals  
44  
45 are a bit much, thereby adding to the preceding question about the standard deviation being 1 and  
46  
47 the assertion that “one would be a bit cleaner.” Michael is asking about the number of fish  
48  
49 corresponding to the right side of the plot: Is there a smaller number of fish? A reason for the  
50  
51 query follows immediately, “because the overall variability increases there, as you go to the  
52  
53 right?” Shelby ascertains that it makes sense to have greater variability when there is a smaller  
54  
55 number of fish; and he adds that most of their fish have been exhibiting near 0%  $A_2$ .  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

*A sudden end of the discussion of HBW and its treatment in the final publication*

At this point, this discussion of the half-maximum bandwidth ends suddenly. There is no clear conclusion any one member offers but a clear proposal and acceptance to move to some other topic. As in many other instances during this research project, rather than making the problem the core topic of the discussion, the scientists go on to some other point. They do not wonder why something does not work. As soon as it does, they go on with their business never wondering what it was that did not allow them to make sense or do their work (Roth, 2004). There is perhaps an underlying and unstated assumption that the problems will go away once the data set is only large enough; alternatively, any remaining problems can be dealt with should they remain to the end. In the journal publication of this work, the team noted the high within-fish variability in percent  $A_2$  and described different ways in which it controlled this variability (Temple et al., 2006). At the experimental level, only photoreceptors from the dorsal area of the eye were taken. The measurements actually taken were subject to inclusion criteria—presence of a baseline in the absorption curve, peak absorption within the commonly accepted range, minimal absorption by other materials on the slide, and a signal-to-noise ratio greater than 5 to 1. To further control variability in the determination of  $A_2$ , the team smoothed the curves using an averaging function and determined the location of the peak on the wavelength axis. Although half-maximum bandwidth was mentioned to broaden in the life history of fishes and although was shown in one of the figures, it was not described as having been used in the determination of  $A_2$ .

**Discussion: graphs and graphing in discovery work**

This study was designed to understand how scientists deal with variability that shows up in their graphs (e.g., in the size of the error bars they plot), and the associated uncertainties that arise for them in making sense of their data. It draws on data collected during a 5-year ethnographic effort in one advanced scientific research laboratory. The results show that although there is some understanding how variability results from the production of the data and

1  
2  
3  
4  
5 although the members of the research team knew that there was trouble, they did not know what  
6  
7 to make of the variability (and statistical variance) in their data and what patterns these  
8  
9 expressed. In an attempt to make interpretation easier, they only considered part of their data.  
10  
11 The session concerning these data ended without a conclusion and despite the inconsistency of  
12  
13 the data with the theory, and despite very different patterns proposed not only between scientists  
14  
15 but also within a scientist. In focusing on the local practices of scientists to bring order to their  
16  
17 data through sequentially ordered turn-taking that made for an orderly meeting, our study is  
18  
19 oriented very differently from those that attempt to identify mental processes that affect  
20  
21 perception of graphs or that operate in the identification of non-obvious properties (Friel, Curcio,  
22  
23 & Bright, 2001). It also differs from studies that “heavily rel[y] on [participants’] *explanations* of  
24  
25 their work and thinking” (Gainsburg, 2007, p. 482) when this is done *after the fact* rather than  
26  
27 during and as integral part of the work.  
28  
29

30  
31 In the episode as a whole, one can see that because the team members did not have a ready  
32  
33 answer, they did not and could not know whether some action will produce the anticipated  
34  
35 changes in the data displayed. But any orderliness that after the fact was accounted for arose  
36  
37 from the practical aspects of the work, which led to “transcendental orderliness” (Garfinkel,  
38  
39 Lynch, & Livingston, 1981, p. 141) of the natural objects in the team’s hands. In the preceding  
40  
41 section, it is the “transcendental” disorderliness, the properties of *this* display that the work of the  
42  
43 scientists comes to provide. In fact, orderliness and disorderliness reflexively make each other  
44  
45 possible as ground against which the other emerged as figure. It has been noted that inscriptions  
46  
47 may in fact hide certain aspects of mathematics in the workplace—it becomes a black box  
48  
49 (Williams & Wake, 2007). Work has to be done to unpack that which is hidden and invisible—  
50  
51 such as the number of data underlying each point plotted invisible to Craig but pointed to by  
52  
53 Shelby. In the present instance, the particular representational form Shelby had chosen exhibited  
54  
55 and hid variability. It exhibited variability that the team wanted and needed to get under control  
56  
57 or at least understand; it was variability that muddied the anticipated or real trend in the  
58  
59 phenomenon. But it also hid the variability of each data point, itself the mean of many  
60  
61  
62  
63  
64  
65

1  
2  
3  
4  
5 measurements, which total over 3,000.  
6

7 In the end, the team members present abandoned what they themselves had identified as  
8 problematic. It may be just a further example of abandonment that is typical of everyday problem  
9 solving, where it constitutes one possible way of going about a problem as coming up with some  
10 definite answer (Lave, 1988). It stands, of course, in striking contrast to school situations, where  
11 students tend to be required not only to have but one single answer in contrast to multiple  
12 answers, but where they are not generally allowed to abandon what the teacher has designed as  
13 the problem at hand (Roth & McGinn, 1997). In the present situation, the lead scientist works out  
14 some “preconceived notions” as to the relationship between two salient variables, %A<sub>2</sub> and half-  
15 maximum bandwidth of the absorption spectrum. This relationship is important, because the  
16 scientists were hoping to use it for the determination of the relative amounts of rhodopsin (A<sub>1</sub>)  
17 and porphyropsin (A<sub>2</sub>) in the pigment of the fish eyes, which are the relevant variables for  
18 determining—so the Nobel prize winning canon at the time—the readiness for the saltwater  
19 journey. According to Theo, he has not yet “checked what the bandwidth gives [them].” This is  
20 what they pursue in the episode analyzed here.  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36

37 The present analysis exhibits the work that the scientists produce for finding “what the  
38 bandwidth gives them.” Craig makes an argument for eliminating some of the data points, but  
39 Shelby resists, for, as he argues, there are about 3,000 data points. This means that there will be  
40 some large variations, on the one hand, and relative stability of the data, on the other hand. Theo  
41 does provide an explanation of why some individual HBW measurements might be much smaller  
42 than they ought to be: His algorithm cuts off one part of HBW when the “ringing” that all of  
43 them are familiar with crosses the HBW line before the best-fit curve does. Craig provides a first  
44 reading of the trend, which, in his gestural movement, takes on a curvilinear shape that matches  
45 his “preconceived notion.” The scientists here attempt to control the variability by looking at a  
46 subset of the data. But the variability that is the salient aspect in their work remains when they  
47 look at the data from one of the seven sources. The next move is to establish a better  
48 understanding of the variability within each data point by “trying to plot with error bars.” Here it  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

1  
2  
3  
4  
5 turns out that two of the “spikes” do not have error bars and, according to the team, are “unique  
6 points.” Once they have changed the scale of the plot, we observe the scientists enact two  
7 readings of the data.  
8  
9

10  
11 Shelby, by means of the cursor, traced out a more-or-less linear relation, “a general increase  
12 from zero to a hundred” that is “very, very subtle.” In this way, the trend was precisely of the  
13 kind that a dominant researcher in the field (Hárosi) and others previously published. It had, as  
14 predicted, a lower bandwidth for rhodopsin ( $A_1$ ) on the left end of the graph and a higher  
15 bandwidth of porphyropsin ( $A_2$ ) on the right end of the graph (in sharp contrast to the  
16 “preconceived notion” that Craig had articulated earlier). This is also the way one would expect  
17 it to occur if one knew that the HBW values plotted here are not measured in nanometers, that is,  
18 on the same scale that the absorption spectra are plotted. Rather, HBW, as plotted here according  
19 to the values on the abscissa, would vary linearly with % $A_2$  if the widths of the spectra,  
20 measured in nanometers, vary as a negative square function. This is not salient in the situation,  
21 however, and therefore does not play a role in its internal dynamic of the data analysis meeting.  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34

35 Craig also provides a reading; in fact, he provides two different readings of the data. There is  
36 a linear increase on the right-hand side of the plot similar to what Shelby has shown. In the  
37 center, however, Craig has a parabolic relationship, as exhibited in his “preconceived notion”  
38 and as gestured in an earlier plot. Finally, Craig first gestures a linear relation with a negative  
39 slope at the left end of the plot; he then changes to a linear relation with a positive slope. In the  
40 course of the data analysis, there are different trends proposed. There are also trends that have  
41 been published in the research for nearly two decades. However, in this meeting, the question is  
42 never posed or answered why the measured curve does not match the anticipated curve, as  
43 articulated at the beginning. This even though this very issue is a stated goal for the laboratory.  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54 There is also no discussion about the different proposals concerning the trends.  
55

56 The graphs not only are the topic of talk but also ground for articulating relations that would  
57 be much more difficult to present in verbal form. Verbal indices (“here,” “there,” “this”) are used  
58 to “tie” the indexical, indexical/iconic, and iconic (movement) expressions to the graph (e.g.,  
59  
60  
61  
62  
63  
64  
65

1  
2  
3  
4  
5 Ochs, Gonzales, & Jacoby, 1996). In the deictic gestures, the graph as a whole or individual  
6 points are the topic, whereas the graph is the ground against the *dynamic* hand/arm movement  
7 that expresses something not itself in the display. It is layered over and above the display but  
8 represents something “underneath” or underlying the data, the deep structure. The erratic data  
9 points are but concrete expressions of extraneous variability of some true signal that is made  
10 visible in and by Craig’s hand movements. Gestures play an integral role in the search for trends  
11 (Roth, 2012), which are found because gestures are generative (de Freitas & Sinclair, 2012),  
12 semiotic means of objectification (Radford, 2003). These are a way of orienting visual  
13 perception through the maze of the data that Craig did “not know what [was] going on here.” Of  
14 course, the gesture itself was motivated by the perceptual gestalt that the data themselves  
15 offered; the gesture, as words in other situations, is but a means that “lets something be seen,  
16 namely what is talked about, and *for* the speaker (the medium) or for the interlocutors”  
17 (Heidegger, 1977, p. 32). The trends existed in their relation with each other, where they take on  
18 the *public* visibility of their characteristics; and the trends revealed themselves such that others  
19 could perceive them too. Even if there are multiple accounts of possible trends, these are in any  
20 case articulated and therefore rationally accountable trends. When Craig moved his hand/index  
21 finger across the display, he actually directed and taught others and himself how to look and  
22 make visible a possible trend. Similarly, in moving the cursor across the data display, Shelby  
23 exhibited in his movement *how* others in the meeting had to look so that they “[got] a general  
24 increase from zero to a hundred, very, very subtle.” The movement of the cursor exhibited the  
25 material that justified the description of the general but subtle increase from the very left to the  
26 very right of the display. The movements constituted the natural accountability that grounded the  
27 observation of the trend.  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52

### 53 54 55 56 **Some preliminary thoughts on graphing and uncertainty in schools**

57  
58 Studies of how scientists deal with variability, while telling us a lot about knowing and  
59 learning applied mathematics, should not be taken as indicative of strategies for school  
60  
61  
62  
63  
64  
65

1  
2  
3  
4  
5 mathematics curricula without careful prior discussion and consideration. The following are but  
6  
7 some preliminary thoughts about the relevance of this study of graphs and graphing in the  
8  
9 discovery sciences to mathematics education.

10  
11 In this study, research team members apparently talked about and wrestled with variability, a  
12  
13 topic of interest to mathematics and statistics educators (e.g., Cobb & Tzou, 2009; English, 2012;  
14  
15 Pfannkuch, 2005). Random variations that obscure true relationships underlying data are  
16  
17 potential trouble spots in university students' modeling activities (Doerr, 2000; Falk & Konold,  
18  
19 1994). This is so because random errors may exhibit a linear relationship when the true  
20  
21 relationship is exponential. This has to be particularly the case when the size of the error that  
22  
23 comes with each data point is unknown but subsequently understood to be systematic.

24  
25 Attempting to understand the source of variance or limiting the statistical variance by controlling  
26  
27 the nature of (variability in) the data, therefore, may be an important step to understanding the  
28  
29 true relations. Understanding and getting a grip on variability may be even more important than  
30  
31 finding patterns. There are suggestions that students of science may learn more and better  
32  
33 understand a phenomenon if they understand when, where, and how it can get lost (Garfinkel,  
34  
35 2002; Roth, 2013). It may be more important for students to discuss sources of variability,  
36  
37 changes in the phenomenon when different types of systematic sources of statistical variance  
38  
39 modifies the signal, and the role of stochastic error (e.g., Cobb & Tzou, 2009).

40  
41  
42 Some scholars have observed that we “can expect *learners* to generate multiple  
43  
44 interpretations of inscriptions, use multiple meanings of words, and focus on different aspects of  
45  
46 inscriptions” (Moschkovich, 2008, p. 578, emphasis added). As the present investigation shows,  
47  
48 this state is not only characteristic of students—who are in the process of learning something  
49  
50 they do not know and therefore cannot evaluate—but also of highly experienced and successful  
51  
52 research scientists confronted with some data first time through when they are in the process of  
53  
54 establishing possible deep structures of the data. The present analysis shows that there may be  
55  
56 alternative and contradictory interpretations articulated in the same meeting *without* there being a  
57  
58 contrasting evaluation that might lead to further learning. Yet research has shown that learning  
59  
60  
61  
62  
63  
64  
65

1  
2  
3  
4  
5 arises precisely from the opposition and confrontation of different propositions or while  
6 reasoning about alternative hypotheses and, in the process, build consensus and sets of shared  
7 rules about data interpretations and variation (Cobb & Tzou, 2009). In school mathematics, this  
8 might be the place where teachers—in the process of observing and overhearing students—  
9 decide to enter their discussion and assist students in making the differences explicit and in  
10 making the resulting contradictions the topic of discussion. It is precisely in the ensuing  
11 dialogical relations that learning results from inquiry. Do we have to conclude that scientists, too,  
12 may need such support? Or do we have to conclude that students do not need such support  
13 because scientists themselves do not use opposition? Concerning the discovery sciences, at least,  
14 the very fact that scientists work at the cutting edge of their field and the fact that these meetings  
15 focus on topics in real time that prevents a reflective approach may mitigate such attempts.  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27

28 In this study, the variability in the data arose from the scientific phenomenon itself and from  
29 the ways in which measurements were gathered, inclusion criteria were defined and applied, and  
30 ways in which graphs were transformed to produce the  $A_2$  values that were presented plotted  
31 against time of year. This may be used as part of an argument for interdisciplinary approaches to  
32 science, technology, engineering and mathematics education (e.g., Artigue, 2012) because it  
33 provides students with opportunities to understand variability and its effect on comparisons even  
34 at the university level (e.g., Tra & Evans, 2010). As an above-mentioned study had shown,  
35 eighth-grade students familiar with the analysis of data that they collected themselves, and  
36 therefore familiar with variability and how to control it, outperformed university graduates on  
37 data interpretation tasks (Roth et al., 1998). On the other hand, students in mathematics classes  
38 presented with data sets were asking questions extensively to understand the provenance of the  
39 data and what might possibly have affected them (Cobb & Tzou, 2009).  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53

54 There are many presuppositions about what students of science *ought* to do when analyzing  
55 data. For example, one study provides a list of questions students are to draw on in their  
56 argumentation about graphs (Chin & Osborne, 2010). The questions that the authors provide are  
57 categorized according to some of the basic science process skills—for example, observing,  
58  
59  
60  
61  
62  
63  
64  
65



1  
2  
3  
4  
5 comparing, analyzing, predicting—and include: “‘Is there anything unusual or unexpected?’  
6  
7 ‘How are A and B similar?’ ‘How are A and B different?’ ‘What is the significance of these  
8  
9 similarities and differences?’ . . . ‘Is there anything I am puzzled about?’ . . . ‘Which is the better  
10  
11 graph? Why?’” (p. 242). As the analysis of the episode shows, the research scientists did not ask  
12  
13 such questions, at least not in my presence and in the sessions we recorded. They were able to  
14  
15 live with apparent contradictions in the descriptions various members provided for the possible  
16  
17 trend in the data and with the apparent contradiction between the theory or a priori conceptions  
18  
19 and the actual data. The kinds of processes educators often postulate—including disagreement,  
20  
21 challenge, cognitive conflict, and puzzlement—are not (as) explicit in the data analysis sessions  
22  
23 that we report on here. But this does not mean that these processes *ought not* be fostered in  
24  
25 schools, where they might function as a means to develop competencies that are currently not  
26  
27 generally observed in most working place contexts, including scientific discovery work.  
28  
29  
30  
31

### 32 **Acknowledgments**

34  
35 Several grants from the Social Sciences and Humanities Research Council of Canada and the  
36  
37 Natural Sciences and Engineering Research Council of Canada supported this study. All  
38  
39 opinions are those of the authors.  
40  
41  
42

### 43 **References**

- 44  
45 Artigue, M. (2012). Reflections around interdisciplinary issues in mathematics education. In W.  
46  
47 Blum, R. B. Ferri, & K. Maaß (Eds.), *Mathematikunterricht im Kontext von Realität, Kultur,*  
48  
49 *und Lehrerprofessionalität: Festschrift für Gabriele Kaiser* [Mathematics courses in the  
50  
51 context of reality, culture, and teacher professionalism: Festschrift for Gabriele Kaiser] (pp.  
52  
53 24–33). Wiesbaden: Vieweg+Teubner Verlag | Springer.  
54  
55  
56 Bakker, A., & Hoffmann, M. H. G. (2005). Diagrammatic reasoning as the basis for developing  
57  
58 concepts: A semiotic analysis of students’ learning about statistical distribution. *Educational*  
59  
60 *Studies in Mathematics*, 60, 333–358.  
61  
62  
63  
64  
65

- 1  
2  
3  
4  
5 Châtelet, G. (1993). *Les enjeux du mobile: Mathématique, physique, philosophie* [The stakes of  
6 movement: Mathematics, physics, philosophy]. Paris: Éditions du Seuil.  
7  
8  
9  
10 Chin, C., & Osborne, J. (2010). Supporting argumentation through students' questions: Case  
11 studies in science classrooms. *Journal of the Learning Sciences, 19*, 230–284.  
12  
13  
14 Cobb, P., & Tzou, C. (2009). Supporting students' learning about data creation. In W.-M. Roth  
15 (Ed.), *Mathematical representation at the interface of body and culture* (pp. 135–171).  
16 Charlotte, NC: Information Age Publishing.  
17  
18  
19  
20 Confrey, J. (1995). Splitting, covariation, and their role in the development of exponential  
21 functions. *Journal for Research in Mathematics Education, 26*, 66–86.  
22  
23  
24 de Freitas, E., & Sinclair, N. (2012). Diagram, gesture, agency: Theorizing embodiment in the  
25 mathematics classroom. *Educational Studies in Mathematics, 80*, 133–152.  
26  
27  
28  
29 Doerr, H. M. (2000). How can I find a pattern in this random data? The convergence of  
30 multiplicative and probabilistic reasoning. *Journal of Mathematical Behavior, 18*, 431–454.  
31  
32  
33 English, L. (2012). Data modelling with first-grade students. *Educational Studies in*  
34 *Mathematics, 81*, 15–30.  
35  
36  
37 Falk, R., & Konold, C. (1994). Random means hard to digest. *For the Learning of Mathematics,*  
38 *16*, 2–12.  
39  
40  
41 Friel, S. N., Curcio, F. R., & Bright, G. W. (2001). Making sense of graphs: Critical factors  
42 influencing comprehension and instructional implications. *Journal for Research in*  
43 *Mathematics Education, 32*, 124–158.  
44  
45  
46  
47 Gainsburg, J. (2007). The mathematical disposition of structural engineers. *Journal for Research*  
48 *in Mathematics Education, 38*, 477–506.  
49  
50  
51  
52 Garfield, J. (2011). Statistical literacy, reasoning, and thinking. In M. Lovric (Ed.), *International*  
53 *encyclopedia of statistical science* (pp. 1439–1442). Berlin: Springer.  
54  
55  
56  
57 Garfield, J., & Ben-Zvi, D. (2007). How students learn statistics revisited: A current review of  
58 research on teaching and learning statistics. *International Statistical Review, 75*, 372–396.  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100

1  
2  
3  
4  
5 *research and teaching practice*. Berlin: Springer.

6  
7 Garfield, J., delMas, R., & Zieffler, A. (2012). Developing statistical modelers and thinkers in an  
8 introductory tertiary level statistics course. *ZDM Mathematics Education*, 44, 883–898.

9  
10 Garfinkel, H. (2002). *Ethnomethodology's program: Working out Durkheim's aphorism*.  
11 Lanham, NY: Rowman & Littlefield.

12  
13 Garfinkel, H., Lynch, M., & Livingston, E. (1981). The work of a discovering science construed  
14 with materials from the optically discovered pulsar. *Philosophy of the Social Sciences*, 11,  
15 131–158.

16  
17 Garfinkel, H., & Wieder, D. L. (1992). Two incommensurable, asymmetrically alternate  
18 technologies of social analysis. In G. Watson & R. M. Seiler (Eds.), *Text in context:*  
19 *Contributions to ethnomethodology* (pp. 175–206). Newbury Park, CA: Sage.

20  
21 Geertz, C. (1973). *The interpretation of cultures: Selected essays*. New York, NY: Basic Books.

22  
23 Gerovsky, S. (2010). Mathematical learning and gesture: Character viewpoint and observer  
24 viewpoint in students' gestured graphs of functions. *Gesture*, 10, 321–343.

25  
26 Hall, R., & Stevens, R. (1995). Making space: A comparison of mathematical work in school and  
27 professional design practices. In S. L. Star (Ed.), *The cultures of computing* (pp. 118–145).  
28 London: Basil Blackwell.

29  
30 Hardy, N. (2009). Students' perceptions of institutional practices: The case of limits of functions  
31 in college level calculus courses. *Educational Studies in Mathematics*, 72, 341–358.

32  
33 Heidegger, M. (1977). *Sein und Zeit* [Being and time]. Tübingen: Max Niemeyer.

34  
35 Hoffmann, M. H. G., & Roth, W.-M. (2005). What you should know to survive in knowledge  
36 societies. On a semiotic understanding of "knowledge." *Semiotica*, 156, 101–138.

37  
38 Kaput, J. J. (1988, November). *Truth and meaning in representation situations: Comments on the*  
39 *Greeno contribution*. Paper presented at the annual meeting of the North American Chapter of  
40 the International Group for Psychology of Mathematics Education, DeKalb, IL.

41  
42 Konold, C., & Pollatsek, A. (2002). Data analysis as the search for signals in noisy processes.  
43 *Journal for Research in Mathematics Education*, 33, 259–289.

- 1  
2  
3  
4  
5 Koschmann, T., & Zemel, A. (2009). Optical pulsars and black arrows: Discoveries as  
6  
7 occasioned productions. *Journal of the Learning Sciences*, 18, 200–246.  
8  
9  
10 Latour, B. (1993). *La clef de Berlin et d'autres leçons d'un amateur de sciences* [The key to  
11  
12 Berlin and other lessons of a science lover]. Paris: Éditions de la Découverte.  
13  
14 Lave, J. (1988). *Cognition in practice: Mind, mathematics and culture in everyday life*.  
15  
16 Cambridge: Cambridge University Press.  
17  
18 McDermott, R. P., Gospodinoff, K., & Aron, J. (1978). Criteria for an ethnographically adequate  
19  
20 description of concerted activities and their contexts. *Semiotica*, 24, 245–275.  
21  
22 Moschkovich, J. (2008). “I went by twos, he went by one”: Multiple interpretations of  
23  
24 inscriptions as resources for mathematical discussions. *Journal of the Learning Sciences*, 17,  
25  
26 551–587.  
27  
28 National Council of Teachers of Mathematics (NCTM). (2000). *Principles and standards for*  
29  
30 *school mathematics*. Reston, VA: National Council of Teachers of Mathematics.  
31  
32  
33 Noss, R., Bakker, A., Hoyles, C., & Kent, P. (2007). Situating graphs as workplace knowledge.  
34  
35 *Educational Studies in Mathematics*, 65, 367–384.  
36  
37 Ochs, E., Gonzales, P., & Jacoby, S. (1996). “When I come down I’m in the domain state”:  
38  
39 Grammar and graphic representation in the interpretive activity of physicists. In E. Ochs, E.  
40  
41 A. Schegloff, & S. A. Thompson (Eds.), *Interaction and grammar* (pp. 328–369).  
42  
43 Cambridge: Cambridge University Press.  
44  
45 Pfannkuch, M. (2005). Thinking tools and variation. *Statistics Education Research Journal*,  
46  
47 14(2), 5–22.  
48  
49  
50 Radford, L. (2003). Gestures, speech, and the sprouting of signs: A semiotic-cultural approach to  
51  
52 students’ types of generalizations. *Mathematical Thinking and Learning*, 5, 37–70.  
53  
54 Roth, W.-M. (1996). Where is the context in contextual word problems?: Mathematical practices  
55  
56 and products in Grade 8 students' answers to story problems. *Cognition and Instruction*, 14,  
57  
58 487–527.  
59  
60 Roth, W.-M. (2003). *Toward an anthropology of graphing: Activity-theoretic and semiotic*  
61  
62  
63  
64  
65

1  
2  
3  
4  
5 *perspectives*. Dordrecht: Kluwer Academic Publishers.

6  
7 Roth, W.-M. (2004). "Tappen Im Dunkeln". Der Umgang mit Unsicherheiten und  
8  
9 Unwägbarkeiten während des Forschungsprozesses ["Groping in the dark": Dealing with  
10  
11 uncertainties and vagaries during the research process]. *Zeitschrift für Qualitative Bildungs-,*  
12  
13 *Beratungs-, und Sozialforschung*, 5, 155–178.

14  
15 Roth, W.-M. (2012). Tracking the origins of signs in mathematical activity: A material  
16  
17 phenomenological approach. In M. Bockarova, M. Danesi, & R. Núñez (Eds.), *Cognitive*  
18  
19 *science and interdisciplinary approaches to mathematical cognition* (pp. 182–215). Munich:  
20  
21 LINCOM EUROPA.

22  
23  
24 Roth, W.-M. (2013). *What more? in/for science education: An ethnomethodological perspective*.  
25  
26 Rotterdam, The Netherlands: Sense Publishers.

27  
28 Roth, W.-M., Bowen, G. M., & McGinn, M. K. (1999). Differences in graph-related practices  
29  
30 between high school biology textbooks and scientific ecology journals. *Journal of Research*  
31  
32 *in Science Teaching*, 36, 977–1019.

33  
34  
35 Roth, W.-M., & McGinn, M. K. (1997). Toward a new perspective on problem solving.  
36  
37 *Canadian Journal of Education*, 22, 18–32.

38  
39 Roth, W.-M., & McGinn, M. K. (1998). Inscriptions: a social practice approach to  
40  
41 "representations." *Review of Educational Research*, 68, 35–59.

42  
43 Roth, W.-M., McGinn, M. K., & Bowen, G. M. (1998). How prepared are preservice teachers to  
44  
45 teach scientific inquiry? Levels of performance in scientific representation practices. *Journal*  
46  
47 *of Science Teacher Education*, 9, 25–48.

48  
49 Roth, W.-M., Pozzer-Ardenghi, L., & Han, J. (2005). *Critical graphicacy: Understanding visual*  
50  
51 *representation practices in school science*. Dordrecht, The Netherlands: Springer-Kluwer.

52  
53 Scheaffer, R. L. (2011). Statistics education. In M. Lovric (Ed.), *International encyclopedia of*  
54  
55 *statistical science* (pp. 1482–1484). Berlin: Springer.

56  
57  
58 Temple, S., Plate, E. M., Ramsden, S., Haimberger, T. J., Roth, W.-M., and Hawryshyn, C. W.  
59  
60 (2006). Seasonal cycle in vitamin A<sub>1</sub>/A<sub>2</sub>-based visual pigment composition during the life  
61  
62  
63  
64  
65

1  
2  
3  
4  
5 history of coho salmon (*Oncorhynchus kisutch*). *Journal of Comparative Physiology A* 192,  
6  
7 301–313.  
8

9 Tra, Y. V., & Evans, I. M. (2010). Enhancing interdisciplinary mathematics and biology  
10 education: A microarray data analysis course bridging these disciplines. *CBE Life Sciences*  
11 *Education*, 9, 217–226.  
12  
13  
14

15 Wild, C. J., & Pfannkuch, M. (1999). Statistical thinking in empirical inquiry. *International*  
16 *Statistical Review*, 67. 223–265.  
17  
18

19 Williams, J., & Wake, G. (2007). Black boxes in workplace mathematics. *Educational Studies in*  
20 *Mathematics*, 64, 317–343.  
21  
22  
23

24 Williams, J. S., Wake, G. D., & Boreham, N. C. (2001). School or college mathematics and  
25 workplace practice: An activity theory perspective. *Research in Mathematics Education*, 3,  
26 69–83.  
27  
28  
29

30 Woolgar, S. (1990). Time and documents in researcher interaction: Some ways of making out  
31 what is happening in experimental science. In M. Lynch & S. Woolgar (Eds.),  
32 *Representation in scientific practice* (pp. 123–152). Cambridge, MA: MIT Press.  
33  
34  
35  
36  
37  
38

### 39 Captions

40  
41 Fig. 1. a. The  $A_2$  values from 3 sites are spread across the entire spectrum of  $A_2$  (0–100%) rather  
42 than clustering more sharply around some mean value. b. A raw absorption spectrum, as it  
43 comes from the instrumentation, is fitted with a 7th-order polynomial derived from the  
44 literature. The wavelength where the polynomial has its maximum is called “lambda-max”  
45 ( $\lambda_{\max}$ ) and the width of the polynomial at half its height with respect to “baseline” is referred  
46 to as “half-maximum bandwidth (HBW).”  
47  
48  
49  
50  
51  
52  
53



54 Fig. 2. a. Craig draws a graph representing the expected relationship between half-maximum  
55 bandwidth (HBW) and amount of porphyrin (% $A_2$ ). b. Shelby plots actual HBW against  
56 % $A_2$ .  
57  
58  
59

60 Fig. 3. a. Theo shows how lambda-max and HBW are extracted. b. He identifies the “ringing” as  
61  
62  
63  
64  
65



1  
2  
3  
4  
5 a problem in the raw data, which introduces variation in the determination of HBW.  
6

7 Fig. 4. a. Craig identifies 4 points as outliers ([ii]–[v]) and gestures ([i]) where a regression should  
8 be conducted. b. Craig gestures a hypothesized best fit. c. The suggestion to plot only a  
9 subset of the data does not lead to a reduction in the variation.  
10  
11  
12

13 Fig. 5. a. After plotting the error bars for each data point, Shelby points to two critical points ([i],  
14 [ii]) and then gestures a best fit ([iii]). b. After Shelby rescaled the plot, Craig uses gestures  
15 to show what the trends in the data are.  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65












gestured "regression"



a



b



c

